



GREWIN INDUSTRIAL GROUP CO.,LTD.

TEL/WhatsApp: +86 18622096679

Mail: admin@coilwindingmachinechina.com

Web: www.coilwindingmachinechina.com



GW-55T TAPING MACHINE



Specification:

Machine head completed parameter	GW-55T
Tap width range	9-25MM
Inner diameter of the strap ring	241MM
Max finished O.D	40-150MM
Min finished I.D	29
Max finished Height	90
Max speed	150
Fixture	GW--99T

The different taping magazine ring need to be replaced.

Advantages:

- 1.the brand-new PLC + touch screen control system, manufactured in Germany,
- 2.1000W servo motor, ensuring 100% accuracy of the number of rotations,
- 3.the maximum rotational speed of the machine head can reach 150rpm;
- 4.The 86 stepper motor ensures exquisite wiring;
- 5.fully automatic/manual settings for the forward and reverse rotation direction of the product;
fully automatic/manual control of the wire spacing; fully automatic/manual adjustment of the winding speed;
6. It can achieve the packaging of adhesive tape and polyester film.

GREWIN INDUSTRIAL GROUP CO.,LTD.

Add: The fourth floor A-A3 zone aviation business area,Dongli Distr,Tianjin,China.



GREWIN INDUSTRIAL GROUP CO.,LTD.

TEL/WhatsApp: +86 18622096679

Mail: admin@coilwindingmachinechina.com

Web: www.coilwindingmachinechina.com



WhatsApp



WeChat

FACTORY:

We-GREWIN INDUSTRIAL GROUP is expert in winding machines lines for 28Years. Our Grewin have ISO9001:2015, CE approvals, Machines' Patents, "high-tech enterprises" by the government.



GREWIN INDUSTRIAL GROUP CO.,LTD.

Add: The fourth floor A-A3 zone aviation business area, Dongli Distr, Tianjin, China.



GREWIN INDUSTRIAL GROUP CO.,LTD.

TEL/WhatsApp: +86 18622096679

Mail: admin@coilwindingmachinechina.com

Web: www.coilwindingmachinechina.com



WhatsApp



WeChat

GREWIN INDUSTRIAL GROUP CO.,LTD.

Add: The fourth floor A-A3 zone aviation business area,Dongli Distr,Tianjin,China.